


ENCLO

HIDE IT WITH STYLE



Sierra Wood Freestanding Screen

73 1/2" H X 37 5/8" W

30 min
Screen Assembly
Approximate time

60 min
Surface Mounting
Approximate time

Assembly Video
Scan the QR Code below



**ASSEMBLY
INSTRUCTIONS**
EC18031

www.encloscreens.com

VER. 110425
PAT. D1,011,052

GENERAL INFORMATION



IMPORTANT

- ▶ Check the inside of the larger pieces in your box for other materials packed inside.
- ▶ We recommend an area approximately 5'x 8' for unobstructed assembling.
- ▶ You should not need to use excessive force when assembling components.
- ▶ No free replacement parts will be provided for wind related damage.

MISSING OR DAMAGED PARTS?

(Only available in the continental US and Canada)



VISIT OUR WEBSITE FIRST, SO WE CAN HELP YOU RIGHT AWAY!

Although great care has been taken to ensure proper packaging and handling of this product, occasionally problems occur. If you discover any missing, damaged, or defective parts, please visit our website to order replacement parts. If you experience any further trouble with your product, please contact our customer service department.

🌐 parts.nychbrands.com (Continental US and Canada only)

✉ support@encloscreens.com

📞 **704-892-5222 / 877-234-6196**

Customer service agents are available to take calls weekdays from 9am-5pm EST. If you call outside of business hours, please leave a voicemail.

To help you quickly and accurately, please have reference item number **EC18031** and the specific part name which can be found on page 5. It is helpful if you can provide the batch lot which is a stamped number on the end of the box.


NEED ASSEMBLY HELP?

If you are having problems with the assembly or installation of this product, we are happy to assist you with the process, **so please give us a call at 704-892-5222 / 877-234-6169**

NEED TO RETURN?


If for some reason you need to return this product, please allow us to help resolve your issues first. If you still decide to return the product, **you will need to initiate the return from the company you originally purchased from.**




DETAILED PRODUCT DIMENSIONS & SPECIFICATIONS




Tipping may occur if left freestanding in areas with wind exposure

LAY OUT MATERIALS

BOX CONTENTS	
A	
Post (1) 1½" x 2⅓" x 72"	
B	
Post 2 (1) 1½" x 2⅓" x 72"	
C	
Slat (15) ½" x 4½" x 36¾"	
D	
Rail (1) 1¼" x 2" x 36¾"	
G	
M5*40mm Wood Screw (8)	
H	
	
J	
Nut (4)	
K	
Washer (12)	
L	
Lock Washer (8)	
M	
	


TOOLS AND OPTIONAL HARDWARE		NOT INCLUDED
	FREESTANDING	
	Power Drill	
	Phillips Bit	
<p><i>Freestanding configuration is only recommended for environments with low wind exposure.</i></p>		
	DECK MOUNT	TP
	Power Drill	
	1/4" Wood Drill Bit	
	1/4" Lag Screws 3" Length (4)	
	Matching Driver Bit	
	PATIO MOUNT	
	Hammer Drill	
	1/4" Concrete Drill Bit	
	Hammer	
	1/4" Concrete Wedge Anchor 2 1/4" Length (4)	
	Matching Wrench	

ASSEMBLING





2

C x15




3




4

A x1

WATCH THIS!




5



FREESTANDING

PAGE 10



*Freestanding application
is only recommended
for indoor usage or
environments with low
wind exposure.*


OR

SURFACE MOUNTED (RECOMMENDED)

PAGE 11-15

! Surface mounting hardware
not included

! Screen does not serve as a substitute for a
security railing for the prevention of falling



DECK MOUNT

Power Drill



1/4" Wood
Drill Bit



1/4" Lag Screws 3"
Length (4)

Matching
Driver Bit



PATIO MOUNT




Hammer Drill

1/4" Concrete
Drill Bit



Hammer



1/4" Concrete Wedge
Anchor 2 1/4" Length (4)





Matching
Wrench



FREESTANDING

FREESTANDING

1



FREESTANDING


2



SURFACE MOUNTED (DECK)


MOUNTED

1




MOUNTED

2




3
MOUNTED

Refer to mounting hardware instructions
to ensure proper installation.
(Surface mounting hardware not included)




4
MOUNTED



SURFACE MOUNTED (PATIO)

MOUNTED


1



MOUNTED


2

Ensure there is at least 3" between the edge of the concrete and the surface mount.




3
MOUNTED

Refer to mounting hardware instructions
to ensure proper installation.
(Surface mounting hardware not included)




4
MOUNTED



MOUNTED


5

Refer to mounting hardware instructions
to ensure proper installation.
(Surface mounting hardware not included)



MOUNTED

6



ENCLO

HIDE IT WITH STYLE

www.encloscreens.com

support@encloscreens.com



704-892-5222
877-234-6196



*6935 Reames Rd. Ste. K.
Charlotte, NC 28216*



ASSEMBLY INSTRUCTIONS

EC18031