




HIDE IT WITH STYLE



## Sierra Wood Freestanding Screen

73 1/2"H X 37 5/8"W

**30 min**  
**Screen Assembly**  
*Approximate time*

**60 min**  
**Surface Mounting**  
*Approximate time*



**Assembly Video**  
*Scan the QR Code below*



**ASSEMBLY**  
**INSTRUCTIONS**  
EC18031

[www.encloscreens.com](http://www.encloscreens.com)

VER. 051925  
PAT. D1,011,052

## GENERAL INFORMATION



### IMPORTANT

- Check the inside of the larger pieces in your box for other materials packed inside.
- We recommend an area approximately 5'x 8' for unobstructed assembling.
- You should not need to use excessive force when assembling components.
- No free replacement parts will be provided for wind related damage.

## MISSING OR DAMAGED PARTS?

(Only available in the continental US and Canada)



### VISIT OUR WEBSITE FIRST, SO WE CAN HELP YOU RIGHT AWAY!

Although great care has been taken to ensure proper packaging and handling of this product, occasionally problems occur. If you discover any missing, damaged, or defective parts, please visit our website to order replacement parts. If you experience any further trouble with your product, please contact our customer service department.

 [parts.nychbrands.com](https://parts.nychbrands.com) (Continental US and Canada only)

 [support@encloscreens.com](mailto:support@encloscreens.com)

 **704-892-5222 / 877-234-6196**

*Customer service agents are available to take calls weekdays from 9am-5pm EST. If you call outside of business hours, please leave a voicemail.*

To help you quickly and accurately, please have reference item number **EC18031** and the specific part name which can be found on page 5. It is helpful if you can provide the batch lot which is a stamped number on the end of the box.


## NEED ASSEMBLY HELP?

If you are having problems with the assembly or installation of this product, we are happy to assist you with the process, **so please give us a call at 704-892-5222 / 877-234-6169**

## NEED TO RETURN?

If for some reason you need to return this product, please allow us to help resolve your issues first. If you still decide to return the product, **you will need to initiate the return from the company you originally purchased from.**














## DETAILED **PRODUCT DIMENSIONS & SPECIFICATIONS**



! Tipping may occur if left freestanding in areas with wind exposure















# LAY OUT MATERIALS

## BOX CONTENTS



<b>A</b>	
<b>Post (1)</b> 1½" x 2⅜" x 72"	
<b>B</b>	
<b>Post 2 (1)</b> 1½" x 2⅜" x 72"	
<b>C</b>	
<b>Slat (15)</b> ⅝" x 4½" x 36¾"	
<b>D</b>	
<b>Rail (1)</b> 1¼" x 2" x 36¾"	
<b>E</b>	
<b>Feet (2)</b> 1" x 2" x 25"	
<b>F</b>	
<b>Joiner Bracket (2)</b>	
<b>G</b>	
<b>M5*40mm Wood Screw (8)</b>	
<b>H</b>	
<b>M6*30mm Bolt (4)</b>	
<b>I</b>	
<b>M6*80mm Bolt (4)</b>	
<b>J</b>	
<b>Nut (4)</b>	
<b>K</b>	
<b>Washer (12)</b>	
<b>L</b>	
<b>Lock Washer (8)</b>	
<b>M</b>	
<b>Wrench (2)</b>	



## TOOLS AND OPTIONAL HARDWARE

(NOT INCLUDED)

 <p><b>FREESTANDING</b></p>	 <p><b>DECK MOUNT</b></p>	 <p><b>PATIO MOUNT</b></p>
 <p><b>Power Drill</b></p>	 <p><b>TP Power Drill</b></p>	 <p><b>Hammer Drill</b></p>
 <p><b>Phillips Bit</b></p>	 <p><b>¼" Wood Drill Bit</b></p>	 <p><b>¼" Concrete Drill Bit</b></p>
<p><i>Freestanding configuration is only recommended for environments with low wind exposure.</i></p>	 <p><b>¼" Lag Screws 3" Length (4)</b></p>  <p><b>Matching Driver Bit</b></p>	 <p><b>Hammer</b></p>  <p><b>¼" Concrete Wedge Anchor 2¼" Length (4)</b></p>  <p><b>Matching Wrench</b></p>


## ASSEMBLING






5

 **G x8**



## FREESTANDING

PAGE 8




*Freestanding application is only recommended for indoor usage or environments with low wind exposure.*

OR

## SURFACE MOUNTED (RECOMMENDED)

PAGE 9 -13

- ! Surface mounting hardware not included
- ! Screen does not serve as a substitute for a security railing for the prevention of falling



**Power Drill**




**1/4" Wood Drill Bit**



**1/4" Lag Screws 3" Length (4)**



**Matching Driver Bit**




**Hammer Drill**




**1/4" Concrete Drill Bit**




**Hammer**



**1/4" Concrete Wedge Anchor 2 1/4" Length (4)**





**Matching Wrench**



# FREESTANDING



FREESTANDING

1



FREESTANDING


2






## SURFACE MOUNTED (DECK)

MOUNTED  
1




MOUNTED  
2






Refer to mounting hardware instructions  
to ensure proper installation.

(Surface mounting hardware not included)




! If mounting to deck  
boards only, a support  
block should be added  
underneath




## SURFACE MOUNTED (PATIO)


MOUNTED  
1



MOUNTED  
2





! Ensure there is at least **3"** between the edge of the concrete and the surface mount.





Refer to mounting hardware instructions  
to ensure proper installation.

(Surface mounting hardware not included)




MOUNTED

5




Refer to mounting hardware instructions  
to ensure proper installation.

(Surface mounting hardware not included)



MOUNTED

6





HIDE IT WITH STYLE

[www.encloscreens.com](http://www.encloscreens.com)

[support@encloscreens.com](mailto:support@encloscreens.com)



**704-892-5222**  
**877-234-6196**



*6935 Reames Rd. Ste. K.*  
*Charlotte, NC 28216*



**ASSEMBLY**  
**INSTRUCTIONS**  
EC18031