

<b>GENERAL</b> INFORMATION	IMPORTANT
	Check the inside of the larger pieces in your box for other materials packed inside.
	When assembling components, place on a non-abrasive surface (i.e. shipping box) to avoid scratching.
	We recommend an area approximately 5'x 8' for unobstructed assembling.
	• You should not need to use excessive force when assembling components.
MISSING OR DAMAGED PARTS?	VISIT OUR WEBSITE FIRST, SO WE CAN HELP YOU RIGHT AWAY! Although great care has been taken to ensure proper packaging and handling of this product, occasionally problems occur. If you discover any missing, damaged, or defective parts, please visit our website to order replacement parts. If you experience any further trouble with your product, please contact our customer care department.
	parts.nychbrands.com
	☑ hmmm@wambamfence.com
	704-892-5222 / 877-778-5733
	Customer service agents are available to take calls weekdays from 9am- 5pm EST. If you call outside of business hours, please leave a voicemail.
	To help you quickly and accurately, please have reference item number <b>VF16400</b> and the specific part name which can be found on page 10. It is helpful if you can provide the batch lot which is a stamped number inside the box.
NEED ASSEMBLY HELP?	<b>Please give us a call at 704-892-5222 / 877-778-5733.</b> If you are having problems with the assembly or installation of this product, we are happy to assist you with the process.
NEED TO RETURN?	If for some reason you need to return this product, please allow us to help resolve your issues first. If you still decide to return the product, you will need to initiate the return from the company you originally purchased from.

#### MEET CLEVER JOE

They call him Clever Joe because over the past few decades or so, he worked on inventing, re-inventing, and perfecting the world of digless fence. He personally installed hundreds of fences the WamBam way, and he knows how well it works.

Joe's job is to help you perform the task of installing an attractive, professional looking WamBam Fence. Much like snowflakes and fingerprints, your property is one-ofa-kind and there are many scenarios you could encounter during your fence installation. That's why our team at WamBam is available to help you. Please feel free to call us - we'd love to help you out.

#### To read more about his story, go to wambamfence.com



#### WE KNOW YOU HATE READING INSTRUCTIONS.

We do too!

But please, make an exception for this project. We want you to have the best possible experience installing your WamBam Fence and reading the instructions will ensure this. Trust us, you'll be glad you did!

So next time you're headed to the john, loo, WC, or bathroom, swap out the newspaper for this guide and start reading. There's a lot of great information in here, and we've tried to make it interesting. And relax, it's mostly pictures.

Having said that, we want to stress that this is a guide. Unfortunately, because everyone's property is different, we can't provide a concrete step A, B and C. This guide will help you in almost all situations, though, and remember, we're just a phone call away! For obstacles and challenges you might encounter, see our "Murphy's Vinyl Fence Laws" guide on our website for information on how to navigate potentially sticky situations.

# **REALITY CHECK**

#### ROME WASN'T BUILT IN A DAY, AND YOUR FENCE PROBABLY WON'T BE EITHER.

Time is your friend when installing your WamBam Fence. So chill out. Relax. Do a yoga pose. Take plenty of breaks.

As we all know, time flies when you're having fun, so expect to spend more than just an afternoon on this project. If you expect to be able to WamBam your fence out in an hour, you're mistaken. Yeah, we know your dog and kids are running loose and your neighbor is driving you nuts, but if you take your time, your project will be more successful. Besides, you're going to be spending less time than you would have if you had chosen to dig holes, mix cement, and go the old way... so be happy. Time is still on your side.

### PAY ATTENTION TO SLOPES!

Even if your yard does not resemble a black diamond ski run, you have to think about the slope of your fence line. Is there any? There almost always is, and you need to pay special attention to this in the planning and purchasing stages of your fence. Otherwise, the posts you order might be too short.

Please refer to our "Murphy's Vinyl Fence Laws" for more in-depth information.

#### **PRACTICE MAKES PERFECT**

Remember swinging the baseball bat as a kid or shooting hoops for the first time? It took a bit to get the feel of it. The first few pipes you install into the ground might be a bit challenging at first but it will get easier as you get the hang of it. Before you know it, you'll be WamBam-ing your pipes into the ground so quickly your neighbors won't know what happened.

For installation videos and more information, visit www.wambamfence.com



# JUST A COUPLE MORE THINGS

### **OTHER STUFF YOU NEED TO KNOW**

- Draw a sketch layout of the proposed fence lines and logically look it over. If it doesn't make sense on paper, chances are it won't make sense in your yard.
- Ask for some help. There's a good chance you have a handy neighbor or a family member that can help your project go more smoothly. An extra set of hands can make all the difference!
- Before you begin, make sure you have all the necessary materials, tools, and equipment listed in the checklist found on page 7.


### AND FINALLY...

Believe Joe, after the past few decades of installing countless fences the WamBam way, the success of your installation is going to depend on three things:

- 1. Site conditions (And your creativity to work around unforeseen obstacles as they come up, because they are gonna come up!)
- 2. Your personal skill level
- 3. Complexity of the project

Remember, you are not alone. We love helping make our customer's lives easier and more fun! Call us. We would consider it an honor to help.





.

TO	OLS AND MATERIALS YOU'LL NEED
	Safety Glasses
	1ft. Torpedo Level
	4ft. Level (optional String Line Level)
	WamBam Pipe Pounder (Purchase or rent a similar product from Home Depot, Lowe's or an equipment rental store.)
	2in. x 2in. x 6in. Inch Wood "Spacer" Block (2 for each panel)
	Cordless Drill (preferably with a high-torque setting)
	5/16in. Hex Shank Driver for Cordless Drill (for hex head screws)
	Shovel (optional)
	Any Power Or Hand Saw With A Fine- Toothed Blade
	String Line Stakes
	Spool of String
	Tape Measure
	Earplugs
	IONAL Immended for projects that require the installation of 30 or more anchors,
	you have incredibly dry or hard soil.
	Gas Powered Post Pounder

(rental available through us or some local equipment companies)

Air Driven Pipe Pounder & Small Air Compressor (must deliver at least 2.5 cu. ft. of air at 70-80 PSI. Available at your local equipment rental company.)

-

# MURPHY'S VINYL FENCE LAWS

#### LET'S PRETEND (JUST FOR A MOMENT) THAT YOU LIVE IN A PERFECT WORLD.

To get started, we are going to walk you through how you would install the fence illustrated below.

This is the perfect scenario with no curve balls. The ground is level, your fence sections all work out evenly, the birds are chirping, and the sky is blue.


Now back to reality. Your situation is almost guaranteed not to be like this. That's why we created "Murphy's Vinyl Fence Laws". This is a guide that outlines some of the different obstacles you could run into while installing your fence and how to overcome them. You can locate this information at: www.wambamfence.com\murphysvinylfencelaws




.

VF16400

### DETAILED PRODUCT DIMENSIONS AND SPECIFICATIONS




# **STEP 1: LAY OUT MATERIALS**




### **STEP 2.1**

▶ Identify the location for the first pipe anchor positioner. Keep the edge of the anchor positioner 2" away from any vertical surface to leave room for the post. If you are using Cap'n Jack post caps, please place the positioner 4" away instead of 2" to allow space for the post cap.




STEP 2.2

Slide the leveling donut over the pipe anchor.




### STEP 2.3


• Use a post pounder to stabilize the pipe anchor in the anchor positioner, then pound the pipe anchor into the ground.




.

**Note:** If obstructions exist beneath the ground, please refer to our 'Murphy's Vinyl Fence Laws' Guide for further clarification.






# **STEP 3: LAY OUT STRING LINE**





## **STEP 4: INSTALL PIPE ANCHORS**



13

# **STEP 5: REMOVE SOIL AND SECURE ANCHOR POSITIONERS**






•


# STEP 6: POSITION AND SECURE LEVELING DONUTS


### ( STEP 6.1 )

▶ Lift the leveling donut to within 1" of the top of the pipe anchor. Adjust the leveling donut as necessary until it is level with the anchor positioner. The leveling donuts should be aligned with the others in the fence line. This can be accomplished by using the string line. Fasten the donut to the pipe anchor using (2) self-drilling tek screws included in the donut packaging.




### STEP 7: INSTALL POSTS





### **STEP 8: INSTALL** FENCE PANELS



.


▶ Place wood spacers next to the posts and slide the Bottom Rail (E) through the grooves in the posts until it rests on the spacers.

**Note:** The rails may need to be trimmed down to fit. See "How to Trim Down Your Fence Panel" in our "Murphy's Vinyl Fence Laws" guide.

#### VF16400 -


### ( STEP 8.2 )

• Slide a Long C-Channel **(B)** through the grooves in the posts until it rests on the bottom rail.




#### STEP 8.3 )

• Repeat this process for all of the posts.




#### ( STEP 8.4 )▶

▶ Slide the first Privacy Board (D) into the long C-channel in the post. Continue sliding the board until it bottoms out in the bottom rail. Next, install the remaining privacy boards. They will slide into each other.




### **STEP 8.5**

• Slide the Middle Rail (F) over the privacy boards.




### ( STEP 8.6 )

▶ Slide the Short C-Channels (A) down the grooves in the posts until they hit the middle rail.



### **STEP 8.7**


▶ Slide the Lattice Section (C) and Top Rail (G) into the short C-channel. Continue sliding until the lattice section bottoms out in the middle rail.



### **STEP 8.8**


▶ Drive a 3½" Self-Drilling Stainless Steel Screw (H) through the posts into the rails. **Note:** Do not over-tighten the 3½" self-drilling stainless steel screws because it will cause the vinyl to dimple.


**Note:** Line up and drive the 3½" self-drilling stainless steel screws along the edge of the rounded post corner as shown.




۰

Top View






## **STEP 9: GLUE** POST CAPS ONTO POSTS



STEP 9.2

▶ Place the glued post caps on the posts and allow to set for 5-10 minutes.



▶ Congratulations! You did it! Go grab a beverage of your choice, admire your handiwork, and show us what you got by entering our annual photo contest!

